

MATERIAL SAFETY DATA SHEET



AQUAZZOL 803

1.0 Product Name: Sodium salt -oxidant

1.1	Colour	Straw Yellow
1.2	Product Appearance	Colourless to Straw Yellow liquid
1.3	pH	10.5-11.5
1.4	Strength	9-12%

2.0 Storage Precautions



2.1 Do not store or transfer in a container, road tanker, and storage tank, which was already used for storing acids

2.2 Have separate Plastic containers earmarked for storing / filling / refilling AQUAZZOL 803

2.3 Please ensure that your storage / transit container is washed with pure water before refilling.

2.4 The material shall be stored in airtight plastic / HDPE containers.

2.5 After consuming the material and if residual material is available in the container then the containers should be kept closed tightly with inner lid and cap.

2.6 The containers used shall be dry and free from grease, dirt or other foreign matter likely to cause decomposition of the material.

MATERIAL SAFETY DATA SHEET



2.7 The material shall be stored in a cool and dark place and kept strictly away from direct sunlight and excessive heat.



3.0 Emergency and First Aid Procedures

3.1	Eye Contact	Flush with plenty of water for 15 minutes lifting eye lids occasionally Get Medical Attention.
3.2	Skin Contact	Flush with copious quantities of water on the affected area.
3.3	Inhalation	Move to fresh Air – call Physician if Exposure is Severe.
3.4	Ingestion	If Conscious, Drink large quantities of Milk or Gelatin solution ; If those are not available, Drink large quantities of water. <ul style="list-style-type: none">✚ Do not give vinegar or other Acids✚ Do not Induce Vomiting✚ Get Prompt Medical Attention.



4.0 Fire and Explosion Data

4.1	Flash Point	Not Applicable
4.2	Auto ignition Temperature	Not Applicable
4.3	Handling Precautions	Use Goggles and / or Face Shields, Rubber Gloves and Boots where liquid contact is expected.
4.4	Flammable or Explosive Limit	Slight Fire Hazard
4.5	5 Extinguishing Media and Fire Fighting Procedures	Powder , Carbon Dioxide as per requirement of surrounding media
4.6	Decomposition Products Under Fire Conditions	May release toxic Gases like Chlorine
4.7	Empty Container Warning	Rinse thoroughly with water – Dispose of Container in Conformance with state and local regulations.

MATERIAL SAFETY DATA SHEET



5.0 Health and Hazard Information



5.1	Variability among Individuals	None Known
5.2	Effects of Over Exposure	Eyes highly Irritant, Inhalation: Irritating to Mucous Membranes – Mouth, Throat & Stomach

6.0 Nature of Hazard and Toxicity Information




6.1	Acute Overexposure Swallowing	See Ingestion under Emergency and First aid procedures.
6.2	Skin Contact	Highly Irritant ,make burns.
6.3	Inhalation	Fumes from spills irritating to Mucous Membranes. Inhalation can cause coughing, choking, Inflammation,
6.4	Eye Contact	Highly Irritant, Can cause damage
6.5	Chronic Overexposure	Eyes: Can cause Damage. Skin: Can cause irritation ,burns

MATERIAL SAFETY DATA SHEET



7.0 Reactivity



7.1	Stability	Stable provided proper storage conditions are met.
7.2	Hazardous Polymerization	Will not occur.
7.3	Conditions to Avoid	Moisture, Heat, Direct exposure to light,



8.0 Spill or Leakage Procedures

8.1	Steps to be taken in Case Material is released or spilled	Material is toxic to Fish -Flush Spill area with water Dilute Copiously with water Dispose off in accordance with State Pollution Control Board rules and regulations.
8.2	Ventilation	Local Exhaust
8.3	Respiratory Protection	Use Certified Gas Mask with Canister if Chlorine fumes are present.
8.4	Protective Gloves	Rubber.
8.5	Eye Protection	Chemical Goggles.
8.6	Other Protective Equipment	Use rubber Splash Apron – Safety Shower & Eye fountain should be located nearby.
8.7	Personal Hygiene	Wash after Handling, Clean Contaminated Garments before reusing.



MATERIAL SAFETY DATA SHEET



9.0 Transportation Information

9.1	Transportation Incident Information	Store material filled Containers Upright in a cool, dry area away from Direct sunlight and excessive heat
-----	-------------------------------------	---